

4-Port USB-C Hub - USB C to USB 3.1 Gen 2 Hub (10Gbps) - 4x USB-A

Product ID: HB31C4AB



Expand the connectivity of your USB-C™ laptop with this new-generation USB-C 10G hub. It plugs into your laptop's USB Type-C™ or Thunderbolt™ 3 port, adding four USB 3.1 Gen 2 Type-A ports, so you can quickly connect more USB devices. It's bus-powered, so there's no external power adapter required.

Connect Your USB Devices to Enhance Productivity

This four-port USB Type-C hub enhances your productivity, giving you the connections you need while you work. Connect the latest USB devices, like flash drives, capture devices and external hard drives, with fast data transfer speeds of up to 10Gbps, to save time when transferring large files.

The USB-C hub also lets you extend the life of your existing USB devices - it's backward compatible with previous versions of USB devices.

Bus-Powered for Easy Portability

The compact, lightweight USB-Type-C hub is a convenient and portable addition to your laptop. It's bus-powered, so it draws its power directly from your computer's USB-C port, with no external power required. That means fewer cables to carry with you when you travel. It also has a built-in cable (9.8 in./25 cm) for convenient travel.

Universally Supported for Easy Installation

The USB 3.1 hub works with a wide range of operating systems, including macOS, Windows® and Linux™. It installs automatically when you connect it to your laptop or desktop, so you can be up and running quickly.

HB31C4AB is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Ideal for mobile workers, for use in the office and at home
- Compact size works well in small or shared workspaces such as hot desks

Features

- Add four USB-A ports to your Mac, Windows, Linux or other USB-C laptop
- USB-C hub supports USB 3.1 Gen 2 data transfer rates up to 10Gbps
- USB bus-powered, with no external power required
- Compact, portable design with attached cable (9.8 in./25 cm)
- Save time with plug-and-play installation

Hardware	Warranty	2 Years
	Bus Type	USB 3.1 Gen 2
	Chipset ID	VIA/VLI - VL820
	Fast-Charge Port(s)	No
	Industry Standards	USB 3.1 Gen 2 - Backward compatible with USB 3.0, 2.0 and 1.1
	Interface	USB 3.1 Gen 2
	Ports	4
	USB-C Device Port(s)	No
	USB-C Host Connection	Yes
Performance	Maximum Data Transfer Rate	10 Gbps
	Type and Rate	USB 3.1 Gen 2 - 10 Gbit/s
	UASP Support	Yes
Connector(s)	Connector Type(s)	4 - USB 3.1 USB Type-A (9 pin, Gen 2, 10 Gbps) Female 1 - USB Type-C (24 pin) USB 3.1 (10Gbps) Male
	OS Compatibility	OS Independent; No additional drivers or software required
Special Notes / Requirements	System and Cable Requirements	Available USB Type-C port - USB 3.1 (10Gbps)
		The total available power output of the HB31C4AB is based on the available input power and is shared between all downstream facing ports.
Indicators	LED Indicators	1 - Power
Power	Power Source	USB-Powered
Environmental	Humidity	20~80% RH (Non-condensing)
	Operating Temperature	0°C to 45°C (32°F to 113°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
Physical Characteristics	Cable Length	9.8 in [250 mm]
	Color	Black
	Enclosure Type	Aluminum and Plastic
	Form Factor	Compact
	Product Height	0.7 in [17 mm]
	Product Length	1.7 in [43 mm]

	Product Weight	2.2 oz [62 g]
	Product Width	0.6 in [15.8 mm]
Packaging Information	Shipping (Package) Weight	4.4 oz [124 g]
What's in the Box	Included in Package	1 - USB-C hub

Product appearance and specifications are subject to change without notice.