

# DisplayPort to VGA Adapter - 1920x1200 - 5 Pack

Product ID: DP2VGA3X5



This 5 pack of DisplayPort to VGA adapters lets you connect your DisplayPort equipped computer to a VGA monitor or projector and provides you with an efficient, multi-pack option.

## **Maximize Efficiency**

Designed for easy deployment, this bulk-pack of DP 1.2 adapters delivers an economical and efficient solution, making it ideal for schools, offices and other environments requiring multiple implementations.

The DisplayPort video adapter makes your DP computer fully compatible with legacy VGA monitors or projectors, eliminating the expense of upgrading to DP displays.

## **Crystal-Clear Picture Quality**

With support for video resolutions up to 1920x1200 or 1080p, you'll be surprised at the picture quality the adapter provides, even when connected to an older VGA monitor, projector or television. The adapter harnesses the video capabilities built into your DisplayPort connection to deliver every detail in stunning high-definition.





### **Designed for Ultimate Portability**

This DisplayPort (male) to VGA (female) dongle maximizes portability with a compact, lightweight design, making it the perfect travel accessory to carry with your DisplayPort devices. The ultra-portable design makes this adapter perfect for BYOD (Bring Your Own Device) applications at the office, delivering HD video presentations on-the-go or even staying connected at home.

For added convenience, this DP to VGA converter supports plug-and-play connectivity and requires no additional software or drivers for a hassle-free setup.

DP2VGA3X5 is backed by a 3-year StarTech.com warranty and free lifetime technical support.





# Certifications, Reports and Compatibility











### **Applications**

- Add a secondary display to your workstation by connecting a VGA monitor to your DisplayPort device
- Deliver professional, high-definition video presentations in the office or while traveling
- Connect your BOYD laptop to a VGA office hot desk or boardroom projector

#### **Features**

- Enhance your productivity by adding a secondary monitor to your workstation
- Experience crystal-clear picture quality with support for highdefinition video resolutions up to 1920x1200 or 1080p
- Maximum portability with a small footprint and lightweight design
- Hassle-free setup with plug-and-play installation
- Convenient multi-pack solution for easy deployment



## **Data Sheet**

	Warranty	3 Years
Hardware	Active or Passive Adapter	Active
	Audio	No
	AV Input	DisplayPort
	AV Output	VGA
Performance	Maximum Analog Resolutions	VGA: 1920x1200 / 60Hz
	Supported Resolutions	VGA: 1920x1200 / 60Hz
	Wide Screen Supported	Yes
Connector(s)	Connector A	1 - DisplayPort (20 pin) Male
	Connector B	1 - VGA (15 pin, High Density D-Sub) Female
Environmental	Humidity	40%-85%RH
	Operating Temperature	0°C to 60°C (32°F to 140°F)
	Storage Temperature	0°C to 70°C (32°F to 158°F)
Physical Characteristics	Cable Length	3.9 in [100 mm]
	Color	Black
	Enclosure Type	Plastic
	Enclosure Type Product Height	Plastic 14.000
	Product Height	14.000
	Product Height Product Length	14.000 230.000
Packaging Information	Product Height Product Length Product Width	14.000 230.000 37.000
	Product Height Product Length Product Width Weight of Product	14.000 230.000 37.000 34.000
	Product Height Product Length Product Width Weight of Product Package Height	14.000 230.000 37.000 34.000 40.000
	Product Height Product Length Product Width Weight of Product Package Height Package Length	14.000 230.000 37.000 34.000 40.000

Product appearance and specifications are subject to change without notice.