

2-Port Multi Monitor Adapter - DisplayPort 1.2 MST Hub to Dual 4K 30Hz or 1080p - USB Bus Powered - Multiple Monitors - Video Splitter for Extended Desktop Mode on Windows

Product ID: MSTDP122DP

This MST hub lets you connect two monitors to your DisplayPort (DP) 1.2 equipped Windows laptop or desktop. It's USB powered, so the only thing you'll need to operate the hub is your computer.

The newest generations of computers are more portable than ever, which often means that you're left with fewer video outputs and smaller integrated screens. This MST hub solves both of these problems by letting you connect two additional displays to your computer, which makes multitasking much easier.

With the MST hub, you can use DisplayPort video adapters and cable adapters that enable you to connect HDMI, VGA or DVI displays. This ensures your MST hub will be compatible with virtually any television, monitor or projector. The hub is VESA and DisplayPort certified to support DP 1.2 enabled systems, for seamless integration with your existing video equipment.

Using the MST hub, you can extend your desktop onto additional monitors and stream independent content to each display, giving you the freedom to multitask and increase your productivity. You can also mirror the same image onto multiple displays for remote viewing applications such as digital signage.

MST technology uses your existing video card to minimize the use of system resources while delivering Ultra HD 4K resolutions. This unprecedented performance makes MST perfect for high-resolution applications such as graphic design, gaming and medical imaging.

Note: When using a DisplayPort 1.1 video card the MST hub will act as a splitter, automatically mirroring your video source across all displays. Resolution limitations apply.

The MSTDP122DP supports plug-and-play installation for a hassle-free setup, and is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Average resolution bandwidth allocation

1920x1080 (High-definition 1080p) @60hz - 22%
1920x1200 @60hz - 30%
2560x1440 @60hz - 35%
2560x1600 @60hz - 38%
3840 x 2160 (Ultra HD 4K) @30hz - 38%

Note: Exceeding 100% will reduce functionality.

Certifications, Reports and Compatibility



Applications

- Use one screen for reference data such as websites, while composing in another screen
- Dock your DP 1.2 device and add two high-resolution displays to your workstation
- Create a panoramic video wall for DisplayPort digital signage applications
- Edit images, video or audio clips across two additional displays in any orientation or resolution
- Perfect for spanning a spreadsheet or worksheet across two additional displays, to avoid side-scrolling

Features

- **MULTIPLE MONITORS:** DisplayPort multi monitor adapter drives 2x DP displays (DP 1.2/HBR2/MST/21.6Gbps) at 4K 30Hz or 2x 1080p 60Hz using a single DP port on Windows PCs w/ no video compression
- **INCREASE PRODUCTIVITY:** With minimal footprint, this multi-stream transport hub helps increase your productivity by adding extended screens to your workstation at the office/home office
- **COMPATIBLE WITH:** 2-Port MST video splitter supports laptops, computers or desktop graphics cards with DP video out (supporting MST), incl. brands like HP, Dell & Lenovo and AMD & Nvidia video cards
- **EASY TO USE:** Dual monitor adapter uses MST technology to natively support DP monitors for a driverless setup; Works w/ Windows/Linux (limited compatibility w/ macOS; single display or mirrored screen)
- **CONVENIENCE:** Equipped w/ built-in 1ft cables for both power (USB Bus powered) and video (DisplayPort), this MST hub won't clutter your workspace and can be used anywhere
- Plug-and-play installation
- Newly engineered chipset for increased compatibility

Hardware	Warranty	2 Years
	Active or Passive Adapter	Active
	AV Input	DisplayPort - 1.2
	Ports	2
	AV Output	DisplayPort - 1.2
	Audio	Yes
	Chipset ID	MegaChips - STDP4320

Performance	Maximum Cable Distance To Display	6.6 ft [2 m]
	Maximum Digital Resolutions	3840 x 2160 @30hz 1024x768
	Supported Resolutions	1280x720 (High-definition 720p)
	Wide Screen Supported	1920x1080 (High-definition 1080p)
	Audio Specifications	1920x1200 2560x1440 2560x1600 3840 x 2160 (Ultra HD 4K) @30hz Yes DisplayPort - 5.1 Channel Audio

Connector(s)	Connector A	DisplayPort (20 pin)
	Connector B	DisplayPort (20 pin)

Software	OS Compatibility	Windows 10 (32/64)
-----------------	------------------	--------------------

Windows 8/8.1 (32/64)

Windows 7(32/64)

Special Notes / Requirements	Note	DisplayPort 1.2 with MST+HBR2 support from the GPU is required for independent display output
Power	Power Source	USB-Powered
Environmental	Operating Temperature	0C to 40C (32F to 104F)
	Storage Temperature	-20C to 60C (-4F to 140F)
	Humidity	50-90%
Physical Characteristics	Color	Black
	Material	Plastic
	Cable Length	7.5 in [1.9 cm]
	Product Length	15.2 in [3.9 cm]
	Product Width	2.3 in [58 mm]
	Product Height	0.6 in [14 mm]
	Weight of Product	1.8 oz [52 g]
Packaging Information	Package Length	6.8 in [1.7 cm]
	Package Width	5.6 in [1.4 cm]
	Package Height	1.2 in [30 mm]
	Shipping (Package) Weight	4.7 oz [134 g]
What's in the Box	Included in Package	2-port DP MST Hub
	Included in Package	Quick install guide

**Product appearance and specifications are subject to change without notice.*

